
























Ground floor slab reinforcement














Position	Stück	Ø [mm]	Bemaßte Biegeform	Einzellänge [m]	Gesamtlänge [m]	Gewicht [kg]
Bewehrungsplan						
1	107	12		2.21	236,47	209,99
2	4	25		6.88	27,52	105,95
3	3	25		6.28	18,84	72,53
4	4	16		6.28	25,12	39,69
5	6	14		3.01	18,06	21,85
6	4	14		7.30	29,20	35,33
7	71	10		2.50	177,50	109,52
8	4	25		7.35	29,40	113,19

Position	Stück	Ø [mm]	Bemaßte Biegeform	Einzellänge [m]	Gesamtlänge [m]	Gewicht [kg]
9	3	25		7.05	21,15	81,43
10	4	14		8.05	32,20	38,96
11	4	16		7.00	28,00	44,24
12	77	10		0.99	76,23	47,03
13	11	10		1.50	16,50	10,18
14	3	16		5.22	15,66	24,74
15	2	16		5.20	10,40	16,43
16	6	16		3.70	22,20	35,08
17	4	16		3.70	14,80	23,38

Position	Stück	Ø [mm]	Bemaßte Biegeform	Einzellänge [m]	Gesamtlänge [m]	Gewicht [kg]
18	4	12		1.50	6,00	5,33
19	72	12		1.34	96,48	85,67
20	4	16		4.62	18,48	29,20
21	4	16		5.38	21,52	34,00
22	4	16		8.85	35,40	55,93
23	2	16		2.50	5,00	7,90
24	4	10		8.85	35,40	21,84
25	3	16		3.96	11,88	18,77
26	2	16		3.94	7,88	12,45


Position	Stück	Ø [mm]	Bemaßte Biegeform	Einzellänge [m]	Gesamtlänge [m]	Gewicht [kg]
27	430	10		1.47	632,10	390,01
28	253	10		1.43	361,79	223,22
29	57	8		0.91	51,87	20,49
30	83	8		0.83	68,89	27,21
31	2	12		12.00	24,00	21,31
32	2	12		3.25	6,50	5,77
33	2	12		9.60	19,20	17,05
34	4	12		5.03	20,12	17,87
35	2	12		3.30	6,60	5,86

Position	Stück	Ø [mm]	Bemaßte Biegeform	Einzellänge [m]	Gesamtlänge [m]	Gewicht [kg]
36	2	12		10.05	20,10	17,85
37	6	12		3.40	20,40	18,12
38	2	12		3.10	6,20	5,51
39	4	12		2.50	10,00	8,88
40	24	12		1.81	43,44	38,57
41	6	12		5.00	30,00	26,64
42	6	12		2.15	12,90	11,46
43	12	12		2.85	34,20	30,37
44	6	12		1.75	10,50	9,32

Position	Stück	Ø [mm]	Bemaßte Biegeform	Einzellänge [m]	Gesamtlänge [m]	Gewicht [kg]
45	6	12	 205	2.05	12,30	10,92
46	12	12	 311	3.11	37,32	33,14
47	122	14	 250	2.50	305,00	369,05
48	8	16	 370	3.70	29,60	46,77
49	4	16	 460	4.60	18,40	29,07
Summe Bewehrungsplan						2.685,09
Summe über alle Bauteile						2.685,09
Anzahl der Ausführungen						1
Gesamtgewicht						2.685,09

Position	Stück	Mattenbezeichnung	Bemaßte Biegeform (unmaßstäblich)	Länge [m]	Breite [m]	Gewicht [kg]
Bewehrungsplan						
1	6	Q335A	230	6,000	2,300	445,80
2	2	Q335A	230	3,450	2,300	85,44
3	4	Q335A	230	4,500	2,300	222,92
4	3	Q335A	230	5,050	2,300	187,56
5	1	Q335A	126	4,360	1,260	29,55
6	2	Q335A	126	3,140	1,260	42,54
7	1	Q335A	95	3,480	0,950	17,70
8	1	Q335A	230	2,250	2,300	27,91

Position	Stück	Mattenbezeichnung	Bemaßte Biegeform (unmaßstäblich)	Länge [m]	Breite [m]	Gewicht [kg]
9	1	Q335A		3,480	1,390	25,98
10	2	Q335A		6,000	1,390	89,62
Summe Bewehrungsplan						1175,02
Summe über alle Bauteile						1175,02
Anzahl der Ausführungen						1
Gesamtgewicht						1175,02



Stück	Bezeichnung	Brutto[kg]
21	Q335A	1560.30
21	Summe	1560.30